




BEFORE YOU BEGIN

Please check to ensure you have all of the below items before you begin installation of your product.


Items Supplied by Acoustics America

Check that the quantities and colors of your room dividers match your order receipt.


- (1) base strip with flat edges on bottom and rounded edges on top



- (4) strips with rounded edges and slots on top and bottom



- (1) top strip with rounded edges on top and slots on the bottom only



If you are missing any required items from your order,
contact us at: <https://acousticsamerica.com/orderissue> or call us at 1-800-569-4907.



The room divider consists of 6 folded strips. Each strip is comprised of (6) 16 sq. inch panels.

Each strip features folding hinges: V-groove on one side and a smooth surface hinge on the other.


The strips have interlocking slots allowing them to stack into a rectangle shape.

Assembled, it measures 5 ft. 5 in. in height, 5 ft. 9 in. wide and 11 in. deep.

STEP 1

Set up the base strip. Stand base strip upright in an “S” shape or roughly 90-degree angles with flat side on the floor as shown in photograph below (flat sides on floor and round corners facing upward).


TIP: Base strip provides a stable base on the floor.





STEP 2

Attach the second strip. Using strip with round edges and slots on top and bottom, align bottom slots of strip 2 with top slots of the base strip, alternating the direction of the “S” shape or 90-degree angle. Once all slots are aligned, press firmly to secure.



STEP 3

Repeat step 2, but alternate the direction of the “S” shape or angle until all rows are stacked and locked together.

TIP: For a uniform look, ensure all strips face the same direction, with flat fronts aligned on one side.

TIP: Apply firm pressure to secure panels in place. In order to prevent damage, avoid using excessive force.

